



affixed to #6

Sheet 1 of 8

SUBSTITUTE FORM PTO-1449 (MODIFIED)		U.S. DEPARTMENT OF COMMERCE PATENT AND TRADEMARK OFFICE		Attorney Docket No.	00786/351006
		INFORMATION DISCLOSURE STATEMENT BY APPLICANT (Use several sheets if necessary)		Serial No.	09/963,693
		(37 C.F.R. §1.98(b))		Applicant	Gary Ruvkun et al.
				Filing Date	September 25, 2001
				Group	Not Yet Assigned
				IDS Filed	March 5, 2002
				Customer No.	21559
OTHER DOCUMENTS (INCLUDING AUTHOR, TITLE, DATE, PLACE OF PUBLICATION)					
<i>SC</i>	GenBank 516083				
<i>SL</i>	Fernandez-Almonacid et al., "Structure and Ligand Specificity of the <i>Drosophila melanogaster</i> Insulin Receptor," <i>Molecular and Cellular Biology</i> 7:2718-2727 (1987).				
<i>SL</i>	Garofalo et al., "Tissue Localization of <i>Drosophila melanogaster</i> Insulin Receptor Transcripts During Development," <i>Molecular and Cellular Biology</i> 8:1638-1647 (1988).				
<i>SL</i>	Garcia-Jimenez et al., "Insulin Regulation of Malic Enzyme Gene Expression in Rat Liver: Evidence for Nuclear Proteins that Bind to Two Putative Insulin Response Elements," <i>Molecular Endocrinology</i> 8:1361-1369 (1994).				
<i>SL</i>	Graf et al., "Insulin-Mediated Secretion of Ecdysteroids From Mosquito Ovaries and Molecular Cloning of the Insulin Receptor Homologue from Ovaries of Bloodfed <i>Aedes aegypti</i> ," <i>Insect Molecular Biology</i> 6:151-163 (1997).				
<i>SL</i>	Jonas et al., "Insulin Receptor in <i>Aplysia</i> Neurons: Characterization, Molecular, Cloning, and Modulation of Ion Currents," <i>The Journal of Neuroscience</i> 16:1645-1658 (1996).				
<i>SL</i>	Lee et al., "Structure and Localization of the <i>IGFBP-1</i> Gene and Its Expression During Liver Regeneration," <i>Hepatology</i> 19:656-665 (1994).				
<i>SL</i>	Petruzzelli et al., "Isolation of a <i>Drosophila</i> Genomic Sequence Homologous to the Kinase Domain of the Human Insulin Receptor and Detection of the Phosphorylated <i>Drosophila</i> Receptor with an Anti-Peptide Antibody," <i>Biochemistry</i> 83:4710-4714 (1986).				
<i>SL</i>	Roovers et al., "Characterization of a Putative Molluscan Insulin-Related Peptide Receptor," <i>Gene</i> 162:181-1188 (1995).				
<i>SL</i>	Suwanickul et al., "Identification of an Insulin-Responsive Element in the Promoter of the Human Gene for Insulin-Like Growth Factor Binding Protein-1," <i>The Journal of Biological Chemistry</i> 288:17063-17068 (1993).				
EXAMINER	<i>Some kind</i>		DATE CONSIDERED	<i>7/21/03</i>	
EXAMINER: Initial citation considered. Draw line through citation if not in conformance and not considered. Include copy of this form with the next communication to applicant.					

RECEIVED

MAR 15 2002

TECH CENTER 1600/2900



Sheet 2 of 8

SUBSTITUTE FORM PTO-1449 (MODIFIED)	U.S. DEPARTMENT OF COMMERCE PATENT AND TRADEMARK OFFICE	Attorney Docket No.	00786/351006
INFORMATION DISCLOSURE STATEMENT BY APPLICANT (Use several sheets if necessary)		Serial No.	09/963,693
		Applicant	Gary Ruvkun et al.
		Filing Date	September 25, 2001
		Group	1633
(37 C.F.R. §1.98(b))		IDS Filed	March 5, 2002
		Customer No.	21559

RECEIVED

MAR 15 2002

TECH CENTER 1600/290

U.S. PATENTS

Examiner's Initials	Patent Number	Issue Date	Patentee	Class	Subclass	Filing Date (If Appropriate)
S	5,196,333	03/23/93	Chalfie et al.	435	240.1	5/30/90

OTHER DOCUMENTS (INCLUDING AUTHOR, TITLE, DATE, PLACE OF PUBLICATION)

S	Allander, et al., Hepatic nuclear factor 3 and high mobility group I/Y proteins bind the insulin response element of the insulin-like growth factor-binding protein-1 promoter. <i>Endocrinology</i> , 138:4291-300 (1997).
S	Ahren et al., Neuropeptidergic versus cholinergic and adrenergic regulation of islet hormone secretion. <i>Diabetologia</i> , 29:827-836 (1986).
S	Austad, <i>Neurobiology of Ageing</i> , 16(5):851-852 (1995).
S	Arpagaus, Vertebrate insulin induces diapause termination in <i>Pieris brassicae</i> pupae. <i>Roux's Arch. Dev. Biol.</i> , 196:527-530 (1987).
S	Baker et al., A novel mesoderm inducer, Madr2, functions in the activin signal transduction pathway. <i>Genes and Development</i> , 10:1880-1889 (1996).
S	Bargmann et al., Control of larval development by chemosensory neurons in <i>Caenorhabditis elegans</i> . <i>Science</i> , 251:1243-1246 (1991).
S	Borkhardt et al., Cloning and characterization of AFX, the gene that fuses to MLL in acute leukemias with a t(X;11) (q13; q23). <i>Oncogene</i> , 14:195-202 (1997).
S	Boschero, et al., Oxotremorine-m potentiation of glucose-induced insulin release from rat islets involves M ₃ muscarinic receptors. <i>Am. J. Physiol.</i> , 268:E336-E342, (1995).
S	Brown-Borg et al., Dwarf mice and the ageing process. <i>Nature</i> , 384:33 (1996).
S	Brüning et al., Development of a novel polygenic model of NIDDM in mice heterozygous for <i>IR</i> and <i>IRS-1</i> null alleles. <i>Cell</i> , 88:561-572 (1997).
S	Coleman, Obesity genes: beneficial effects in heterozygous mice. <i>Science</i> , 203:663-665 (1979).
S	Dorman et al., The <i>age-1</i> and <i>daf-2</i> genes function in a common pathway to control the lifespan of <i>caenorhabditis elegans</i> . <i>Genetics</i> , 141:1399-1406 (1995).
S	Ebina et al., the human insulin receptor cDNA: The structural basis for hormone-activated transmembrane signalling. <i>Cell</i> , 40:747-758 (1985).
S	Estevez et al., The <i>daf-4</i> gene encodes a bone morphogenetic protein receptor controlling <i>C. elegans</i> dauer larva development. <i>Nature</i> , 365:644-649 (1993).

EXAMINER	<i>Smits</i>	DATE CONSIDERED	7/21/03
----------	--------------	-----------------	---------

EXAMINER: Initial citation considered. Draw line through citation if not in conformance and not considered. Include copy of this form with the next communication to applicant.



Sheet 3 of 8

SUBSTITUTE FORM PTO-1449 (MODIFIED)		U.S. DEPARTMENT OF COMMERCE PATENT AND TRADEMARK OFFICE	Attorney Docket No. 00786/351006
		Serial No. 09/963,693	RECEIVE
		Applicant Gary Ruvkun et al.	MAR 15 2002
		Filing Date September 25, 2001	TECH CENTER 1600/2
		Group Not Yet Assigned	
(37 C.F.R. §1.98(b))		IDS Filed March 5, 2002	
		Customer No. 21559	
OTHER DOCUMENTS (INCLUDING AUTHOR, TITLE, DATE, PLACE OF PUBLICATION)			
<i>Se</i>	Ewbank et al., Structural and functional conservation of the <i>Caenorhabditis elegans</i> timing gene <i>clk-1</i> . <i>Science</i> , 275:980-983 (1997).		
<i>Sx</i>	Fernandez et al., The <i>Drosophila</i> insulin receptor homolog: A gene essential for embryonic development encodes two receptor isoforms with different signaling potential. <i>EMBO J.</i> , 14:3373-3384 (1995).		
<i>R</i>	Galili et al., Fusion of a fork head domain gene to PAX3 in the solid tumour alveolar rhabdomyosarcoma. <i>Nat. Genet.</i> , 5:230-235 (1993).		
<i>Q</i>	Georgi et al., <i>daf-1</i> , a <i>C. elegans</i> gene controlling dauer larva development, encodes a novel receptor protein kinase. <i>Cell</i> , 61:635-645 (1990).		
<i>Se</i>	Gil et al., Regulation of the insulin-like developmental pathway of <i>Caenorhabditis elegans</i> by a homolog of the PTEN tumor suppressor gene. <i>Proc. Natl. Acad. Sci. USA</i> , 96:2925-2930 (1999).		
<i>R</i>	Golden et al., The <i>Caenorhabditis elegans</i> dauer larva: developmental effects of pheromone, food, and temperature. <i>Developmental Biology</i> , 102:368-378 (1984).		
<i>Se</i>	Golden et al., A pheromone-induced developmental switch in <i>Caenorhabditis elegans</i> : Temperature-sensitive mutants reveal a wild-type temperature-dependent process. <i>Proc. Natl. Proc. Acad. Sci. U.S.A.</i> , 81:819-823 (1984).		
<i>Ar</i>	Gottlieb et al., <i>daf-2</i> , <i>daf-16</i> and <i>daf-23</i> : Genetically interacting genes controlling dauer formation in <i>Caenorhabditis elegans</i> . <i>Genetics</i> , 137:107-120 (1994).		
<i>Q</i>	Graff et al., Xenopus MAD proteins transduce distinct subsets of signals for the TGFB superfamily. <i>Cell</i> , 85:479-487 (1996).		
<i>Q</i>	Green et al., Responses of embryonic Xenopus cells to activin and FGF are separated by multiple dose thresholds and correspond to distinct axes of the mesoderm. <i>Cell</i> , 71:731-739 (1992).		
<i>R</i>	Hahn et al., <i>DPC4</i> , a candidate tumor suppressor gene at human chromosome 18q21.1. <i>Science</i> , 271:350-353 (1996).		
<i>R</i>	Hemmings, Akt signaling: linking membrane events to life and death decisions. <i>Science</i> , 275:628-630 (1997).		
<i>S</i>	Hetru et al., Isolation and structural characterization of an insulin-related molecule, a predominant neuropeptide from <i>Locusta migratoria</i> . <i>Eur. J. Biochem.</i> , 201:495-499 (1991).		
EXAMINER	<i>John H</i>	DATE CONSIDERED	<i>7/21/03</i>
EXAMINER: Initial citation considered. Draw line through citation if not in conformance and not considered. Include copy of this form with the next communication to applicant.			



Sheet 4 of 8

SUBSTITUTE FORM PTO-1449 (MODIFIED)		U.S. DEPARTMENT OF COMMERCE PATENT AND TRADEMARK OFFICE		Attorney Docket No.	00786/351006
		INFORMATION DISCLOSURE STATEMENT BY APPLICANT (Use several sheets if necessary)		Serial No.	09/963,693
				Applicant	Gary Ruvkun et al.
(37 C.F.R. §1.98(b))				Filing Date	September 25, 2001
				Group	Not Yet Assigned
				IDS Filed	March 5, 2002
				Customer No.	21559
RECEIVED MAR 15 2002 TECH CENTER 1600/2900					
OTHER DOCUMENTS (INCLUDING AUTHOR, TITLE, DATE, PLACE OF PUBLICATION)					
<i>s</i>	Hillion, et al., AF6q21 a novel partner of the MLL gene in t(6;11)(q21;q23), defines a forkhead transcriptional factor subfamily. <i>Blood</i> , 90:3714-9 (1997).				
<i>s</i>	Hobert, et al., Regulation of interneuron function in the <i>C. elegans</i> thermoregulatory pathway by the <i>ftx-3</i> LIM homeobox gene. <i>Neuron</i> , 19:345-357 (1997).				
<i>s</i>	Hoodless et al., MADR1, a MAD-related protein that functions in BMP2 signaling pathways. <i>Cell</i> , 85:489-500 (1996).				
<i>s</i>	Hotamisligil et al., Adipose expression of tumor necrosis factor- α : direct role in obesity-linked insulin resistance. <i>Science</i> , 259:87-91 (1993).				
<i>s</i>	Hubbard et al., Crystal structure of the tyrosine kinase domain of the human insulin receptor. <i>Nature</i> , 372:746-754 (1994).				
<i>s</i>	Jonas et al., Regulation by insulin of a unique neuronal Ca ²⁺ pool and of neuropeptide secretion. <i>Nature</i> , 385:343-346 (1997).				
<i>s</i>	Kahn et al., Genetics of non-insulin-dependent (Type-II) diabetes mellitus. <i>Annu. Rev. Med.</i> , 47:509-531 (1996).				
<i>s</i>	Kawakami et al., Molecular cloning of the <i>Bombyx Mori</i> prothoracicotropic hormone. <i>Science</i> , 247:1333-1335 (1990).				
<i>q</i>	Kenyon et al., A <i>C. elegans</i> mutant that lives twice as long as wild type. <i>Nature</i> , 366:461-464 (1993).				
<i>s</i>	Kim et al., Detection of mutations in the insulin receptor gene in patients with insulin resistance by analysis of single-stranded conformational polymorphisms. <i>Diabetologia</i> , 35:261-266 (1992).				
<i>s</i>	Kimble, Alterations in cell lineage following laser ablation of cells in the somatic gonad of <i>Caenorhabditis elegans</i> . <i>Developmental Biology</i> , 87:286-300 (1981).				
<i>s</i>	Kimura et al., daf-2, an insulin receptor-like gene that regulates longevity and diapause in <i>Caenorhabditis elegans</i> . <i>Science</i> , 277:942-946 (1997).				
<i>s</i>	Klass, a method for the isolation of longevity mutants in the nematode <i>Caenorhabditis elegans</i> and initial results. <i>Mechanisms of Ageing and Dev.</i> , 22:279-286 (1983).				
<i>s</i>	Krause, Transcription and Translation, Chapter 20, <i>Methods Cell Biol.</i> , Academic Press, San Diego, CA, 48:483-512 (1995).				
<i>s</i>	Krawczak et al., "The Human Gene Mutation Database," <i>Trend Genet.</i> 13:121-122 (1997).				
EXAMINER	<i>Isabel</i>		DATE CONSIDERED	<i>3/4/03</i>	
EXAMINER: Initial citation considered. Draw line through citation if not in conformance and not considered. Include copy of this form with the next communication to applicant.					



Sheet 5 of 8

SUBSTITUTE FORM PTO-1449 (MODIFIED)		U.S. DEPARTMENT OF COMMERCE PATENT AND TRADEMARK OFFICE	Attorney Docket No.	00786/351006
			Serial No.	09/963,693
			Applicant	Gary Ruvkun et al.
			Filing Date	September 25, 2001
			Group	Not Yet Assigned
			IDS Filed	March 5, 2002
			Customer No.	21559
TECH CENTER 1600/2900				
OTHER DOCUMENTS (INCLUDING AUTHOR, TITLE, DATE, PLACE OF PUBLICATION)				
<i>S</i>	Kuo et al., PNAS, 92:6911-6914 (1995).			
<i>S</i>	Lagna et al., Partnership between DPC4 and SMAD proteins in TGF- β signalling pathways. <i>Nature</i> , 383:832-836 (1996).			
<i>S</i>	Lai et al., HNF-3A, a hepatocyte-enriched transcription factor of novel structure is regulated transcriptionally. <i>Genes Dev.</i> , 4:1427-1436 (1990).			
<i>S</i>	Larsen et al., Genes that regulate both development and longevity in <i>Caenorhabditis elegans</i> . <i>Genetics</i> , 139:1567-1583 (1995).			
<i>S</i>	Latifpour et al., Effect of insulin and dietary myoinositol on muscarinic receptor alterations in diabetic rat bladder. <i>J. Urol.</i> , 147:760-763 (1992).			
<i>S</i>	Lewis et al., The genetics of levamisole resistance in the nematode <i>Caenorhabditis elegans</i> . <i>Genetics</i> , 95:905-928 (1980).			
<i>S</i>	Lewis et al., Levamisole-resistant mutants of the nematode <i>Caenorhabditis elegans</i> appear to lack pharmacological acetylcholine receptors. <i>Neuroscience</i> , 5:967-989 (1980).			
<i>S</i>	Li et al., TEP1, encoded by a candidate tumor suppressor locus, is a novel protein tyrosine phosphatase regulated by transforming growth factor beta ¹ . <i>Cancer Res.</i> , 57:2124-2129 (1997).			
<i>S</i>	Li et al., PTEN, a putative protein tyrosine phosphatase gene mutated in human brain, breast, and prostate cancer. <i>Science</i> , 275:1943-1947 (1997).			
<i>S</i>	Lin et al., daf-16: an hnf-3/forkhead family member that can function to double the life-span of <i>Caenorhabditis elegans</i> . <i>Science</i> , 278:1319-1322 (1997).			
<i>S</i>	Liu et al., A human Mad protein acting as a BMP-regulated transcriptional activator. <i>Nature</i> , 381:620-623 (1996).			
<i>S</i>	Lonnqvist et al., Overexpression of the obese (<i>ob</i>) gene in adipose tissue of human obese subjects. <i>Nat. Med.</i> , 1:950-953 (1995).			
<i>S</i>	Macias-Silva et al., MADR2 is a substrate of the TGF β Receptor and its phosphorylation is required for nuclear accumulation and signaling. <i>Cell</i> , 87:1215-1224 (1996).			
<i>S</i>	Malone et al., a screen for nonconditional dauer-constitutive mutations in <i>Caenorhabditis elegans</i> . <i>Genetics</i> , 136:879-886, (1994).			
<i>S</i>	Maehama et al., The tumor suppressor, PTEN/MMAC1, dephosphorylates the lipid second messenger, phosphatidylinositol 3,4,5-trisphosphate. <i>J. Biol. Chem.</i> , 273:13375-13378 (1998).			
<i>S</i>	Mathews et al., Regulation of insulin-like growth factor I gene expression by growth hormone. <i>Proc. Natl. Acad. Sci. U.S.A.</i> , 83:9343-9347 (1986).			
EXAMINER	<i>Burke</i>		DATE CONSIDERED	7/21/03
EXAMINER: Initial citation considered. Draw line through citation if not in conformance and not considered. Include copy of this form with the next communication to applicant.				

RECEIVED
MAR 15 2002



Sheet 6 of 8

SUBSTITUTE FORM PTO-1449 (MODIFIED)		U.S. DEPARTMENT OF COMMERCE PATENT AND TRADEMARK OFFICE	Attorney Docket No. 00786/351006
		Serial No. 09/963,693	
		Applicant Gary Ruvkun et al.	
		Filing Date September 25, 2001	
		Group Not Yet Assigned	
(37 C.F.R. §1.98(b))		IDS Filed March 5, 2002	
		Customer No. 21559	
OTHER DOCUMENTS (INCLUDING AUTHOR, TITLE, DATE, PLACE OF PUBLICATION)			
1	McCombie et al., <i>Caenorhabditis elegans</i> expressed sequence tags identify gene families and potential disease gene homologues. <i>Nature Genetics</i> , 1:124-131 (1992).		
2	Mello et al., Efficient gene transfer in <i>C. elegans</i> : extrachromosomal maintenance and integration of Transforming sequences. <i>EMBO J.</i> , 10:3959-3970 (1991).		
3	Miller, R. E., Pancreatic neuroendocrinology: peripheral neural mechanisms in the regulation of the islets of langerhans. <i>Endocr. Rev.</i> , 2:471-494 (1981).		
4	Morris et al., A phosphatidylinositol-3-OH kinase family member regulating longevity and diapause in <i>Caenorhabditis elegans</i> . <i>Nature</i> , 382:536-539 (1996).		
5	Murakami et al., A genetic pathway conferring life extension and resistance to UV stress in <i>Caenorhabditis elegans</i> . <i>Genetics</i> , 143:1207-1218 (1996).		
6	Nagasaki et al., amino-terminal amino acid sequence of the silkworm prothoracicotropic hormone: homology with insulin. <i>Science</i> , 268:1344-1345 (1984).		
7	O'Brien et al., Hepatic nuclear factor-3 and hormone-regulated expression of the phosphoenolpyruvate carboxykinase and insulin-like growth factor-binding protein 1 genes. <i>Mol. Cell Biol.</i> , 15:1747-1758 (1995).		
8	Ogg et al., The fork head transcription factor DAF-16 transduces insulin-like metabolic and longevity signals in <i>C. elegans</i> . <i>Nature</i> , 389:994-999 (1997).		
9	O'Riordan et al., Intermediary metabolism in the dauer larva of the nematode <i>Caenorhabditis elegans</i> -II. The glyoxylate cycle and fatty-acid oxidation. <i>Comp. Biochem. & Physiol.</i> , 95B:125-130 (1990).		
10	O'Riordan et al., Intermediary metabolism in the dauer larva of the nematode <i>Caenorhabditis elegans</i> -I. Glycolysis, gluconeogenesis, oxidative phosphorylation and the tricarboxylic acid cycle. <i>Comp. Biochem. & Physiol.</i> , 92B:233-238 (1989).		
11	Paradis et al., <i>Caenorhabditis elegans</i> Akt/PKB transduces insulin receptor-like signals from AGE-1 PI3 kinase to the DAF-16 transcription factor. <i>Genes Dev.</i> , 12:2488-2498 (1998).		
12	Parrizas et al., Specific inhibition of insulin-like growth factor-1 and insulin receptor tyrosine kinase activity and biological function by tyrphostins. <i>Endocrinology</i> , 138:1427-1433 (1997).		
13	Parry et al., Cloning and characterization of the t(X;11) breakpoint from a leukemic cell line identify a new member of the forkhead gene family. <i>Genes, Chromosomes, and Cancer</i> , 11:79-84 (1994).		
14	Patterson et al., The DAF-3 Smad protein antagonizes TGF-B-related receptor signaling in the <i>Caenorhabditis elegans</i> dauer pathway. <i>Genes Dev.</i> , 11:2679-2690 (1997).		
15	Popham et al., Aspects of the fine structure of the dauer larva of the nematode <i>Caenorhabditis elegans</i> . <i>Can. J. Zool.</i> , 57:794-800 (1979).		
EXAMINER	<i>John L. Clark</i>	DATE CONSIDERED	<i>7/21/03</i>
EXAMINER: Initial citation considered. Draw line through citation if not in conformance and not considered. Include copy of this form with the next communication to applicant.			

TECH CENTER 1600/2900
MAR 15 2002

RECEIVED



Sheet 7 of 8

TECH CENTER 1600/2000
MAR 15 2002

RECEIVED


SUBSTITUTE FORM PTO-1449 (MODIFIED)		U.S. DEPARTMENT OF COMMERCE PATENT AND TRADEMARK OFFICE	Attorney Docket No. 00786/351006
		Serial No. 09/963,693	
		Applicant Gary Ruvkun et al.	
		Filing Date September 25, 2001	
		Group Not Yet Assigned	
(37 C.F.R. §1.98(b))		IDS Filed March 5, 2002	
		Customer No. 21559	
OTHER DOCUMENTS (INCLUDING AUTHOR, TITLE, DATE, PLACE OF PUBLICATION)			
<input checked="" type="checkbox"/>	Reinhardt et al., Selective coexpression of insulin receptor-related receptor (IRR) and TRK in NGF-sensitive neurons. <i>J. Neurosci.</i> , 14:4674-4683 (1994).		
<input checked="" type="checkbox"/>	Ren et al., Control of <i>C. elegans</i> larval development by neuronal expression of a TGF- β homolog. <i>Science</i> , 274:1389-1391 (1996).		
<input checked="" type="checkbox"/>	Riddle et al., Interacting genes in nematode dauer larva formation. <i>Nature</i> , 290:668-671 (1981).		
<input checked="" type="checkbox"/>	Riddle, D. et al., Genetic and environmental regulation of dauer larva development. <i>C. elegans II</i> , pp. 739-768 (1997).		
<input checked="" type="checkbox"/>	Roovers et al., Characterization of a putative molluscan insulin-related peptide receptor. <i>Gene</i> , 162:181-188 (1995).		
<input checked="" type="checkbox"/>	Savage et al., <i>Caenorhabditis elegans</i> genes <i>sma-2</i> , <i>sma-3</i> , and <i>sma-4</i> define a conserved family of transforming growth factor β pathway components. <i>PNAS</i> , 93:790-794 (1996).		
<input checked="" type="checkbox"/>	Schackwitz et al., Chemosensory neurons function in parallel to mediate a pheromone response in <i>c. elegans</i> . <i>Neuron</i> , 17:719-728 (1996).		
<input checked="" type="checkbox"/>	Shier et al., Primary structure of a putative receptor for a ligand of the insulin family. <i>J. Biol. Chem.</i> , 264:14605-14608 (1989).		
<input checked="" type="checkbox"/>	Songyang et al., SH2 domains recognize specific phosphopeptide sequences. <i>Cell</i> , 72:767-778 (1993).		
<input checked="" type="checkbox"/>	Stambolic et al., Negative regulation of PKB/Akt-dependent cell survival by the tumor suppressor PTEN. <i>Cell</i> , 95:29-39 (1998).		
<input checked="" type="checkbox"/>	Steck et al., Identification of a candidate tumour suppressor gene, MMAC1, at chromosome 10q23.3 that is mutated in multiple advanced cancers. <i>Nat. Genet.</i> , 15:356-362 (1997).		
<input checked="" type="checkbox"/>	Strojek RM and Wagner TE <i>Genetic Engineering: Principles and Methods</i> , 10:221-246 (1988).		
<input checked="" type="checkbox"/>	Swanson et al., Critical periods in the development of the <i>Caenorhabditis elegans</i> dauer larva. <i>Developmental Biology</i> , 84:27-40 (1981).		
<input checked="" type="checkbox"/>	Taylor, Lilly lecture: molecular mechanisms of insulin resistance. <i>Diabetes</i> , 41:1473-1490 (1992).		
<input checked="" type="checkbox"/>	Thomas et al., Evidence for parallel processing of sensory information controlling dauer formation in <i>Caenorhabditis elegans</i> . <i>Genetics</i> , 134:1105-1117 (1993).		
<input checked="" type="checkbox"/>	Ullrich et al., Human insulin receptor and its relationship to the tyrosine kinase family of oncogenes. <i>Nature</i> , 313:756-761 (1985).		
EXAMINER	<i>Burke</i>	DATE CONSIDERED	7/1/03
EXAMINER: Initial citation considered. Draw line through citation if not in conformance and not considered. Include copy of this form with the next communication to applicant.			



Sheet 8 of 8

SUBSTITUTE FORM PTO-1449 (MODIFIED)		U.S. DEPARTMENT OF COMMERCE PATENT AND TRADEMARK OFFICE	Attorney Docket No. 00786/351006
		Serial No. 09/963,693	
INFORMATION DISCLOSURE STATEMENT BY APPLICANT (Use several sheets if necessary)		Applicant Gary Ruvkun et al.	
(37 C.F.R. §1.98(b))		Filing Date September 25, 2001	
		Group Not Yet Assigned	
		IDS Filed March 5, 2002	
		Customer No. 21559	
OTHER DOCUMENTS (INCLUDING AUTHOR, TITLE, DATE, PLACE OF PUBLICATION)			
<input checked="" type="checkbox"/>	Ullrich et al., Insulin-like growth factor I receptor primary structure: comparison with insulin receptor suggests structural determinants that define functional specificity. <i>EMBO J.</i> , 5:2503-2512 (1986).		
<input checked="" type="checkbox"/>	Unterman et al., Hepatocyte nuclear factor-3 (HNF-3) binds to the insulin response sequence in the IGF binding protein-1 (IGFBP-1) promoter and enhances promoter function. <i>Biochem. Biophys. Res. Commun.</i> , 203:1835-1841 (1994).		
<input checked="" type="checkbox"/>	Vowels et al., Genetic analysis of chemosensory control of dauer formation in <i>Caenorhabditis elegans</i> . <i>Genetics</i> , 130:105-123 (1992).		
<input checked="" type="checkbox"/>	Wadsworth et al., Developmental regulation of energy metabolism in <i>Caenorhabditis elegans</i> . <i>Develop. Biol.</i> , 132:167-173 (1989).		
<input checked="" type="checkbox"/>	Waterston et al., A survey of expressed genes in <i>Caenorhabditis elegans</i> . <i>Nature Genetics</i> , 1:114-123 (1992).		
<input checked="" type="checkbox"/>	Wall, "Transgenic Livestock: Progress & Prospects for the Future," <i>Theriongenology</i> 45:57-68 (1996).		
<input checked="" type="checkbox"/>	White et al., The insulin signaling system. <i>J. Biol. Chem.</i> , 269:1-4 (1994).		
<input checked="" type="checkbox"/>	Weinkove et al., p60 is an adaptor for the <i>Drosophila</i> phosphoinositide 3-kinase, Dp110. <i>J. Biol. Chem.</i> , 272:14606-14610 (1997).		
<input checked="" type="checkbox"/>	Wrana et al., MAD-related proteins in TGF- β signalling. <i>Trends Genet.</i> , 12:493-496 (1996).		
<input checked="" type="checkbox"/>	Yamamura et al., Muscarinic cholinergic binding in rat brain. <i>Proc. Natl. Acad. Sci.</i> , 71:1725-1729 (1974).		
<input checked="" type="checkbox"/>	Yoshimasa et al., Effects of amino acid replacements within the tetrabasic cleavage site on the processing of the human insulin receptor precursor expressed in chinese hamster ovary cells. <i>J. Biol. Chem.</i> , 265:17230-17237 (1990).		
<input checked="" type="checkbox"/>	Zeman et al., <i>Atherosclerosis</i> , 134(1-2):318 (1997).		
<input checked="" type="checkbox"/>	Zhang et al., Receptor-associated Mad homologues synergize as effectors of the TGF- β response. <i>Nature</i> , 383:168-172 (1996).		
<input checked="" type="checkbox"/>	Zwaal et al., Target-Selected gene inactivation in <i>Caenorhabditis elegans</i> by using a frozen transposon insertion mutant bank. <i>Proc. Natl. Acad. Sci. USA</i> , 90:7431-7435 (1993).		
EXAMINER	<i>Sunbury</i>	DATE CONSIDERED	<i>7/4/03</i>
EXAMINER: Initial citation considered. Draw line through citation if not in conformance and not considered. Include copy of this form with the next communication to applicant.			

RECEIVED
MAY 15 2002



RECEIVED

#10

MAR 26 2003

TECH CENTER 1600/2900

Sheet 1 of 1

SUBSTITUTE FORM PTO-1449 (MODIFIED)		U.S. DEPARTMENT OF COMMERCE PATENT AND TRADEMARK OFFICE	Attorney Docket No. 00786/351006
		Serial No. 09/963,693	
		Applicant Gary Ruvkun et al.	
INFORMATION DISCLOSURE STATEMENT BY APPLICANT (Use several sheets if necessary)		Filing Date September 25, 2001	
		Group 1633	
		IDS Filed March 19, 2003	
(37 C.F.R. § 1.98(b))		Customer No. 21559	

U.S. PATENTS

Examiner's Initials	Patent Number	Issue Date	Patentee	Class	Subclass	Filing Date (If Appropriate)

FOREIGN PATENT OR PUBLISHED FOREIGN PATENT APPLICATION

Examiner's Initials	Document Number	Publication Date	Country or Patent Office	Class	Subclass	Translation (Yes/No)
gr	WO 98/33907	08/06/98	PCT	/	/	
gr	WO 98/51351	11/19/98	PCT	/	/	
gr	WO 01/07457 A1	02/01/01	PCT	/	/	

OTHER DOCUMENTS (INCLUDING AUTHOR, TITLE, DATE, PLACE OF PUBLICATION)

gr	Mihaylova et al., "The PTEN tumor suppressor homolog in <i>Caenorhabditis elegans</i> regulates longevity and dauer formation in an insulin receptor-like signaling pathway," <i>Proc. Natl. Acad. Sci. USA</i> 96:7427-32 (1999).
gr	Ogg et al., "The <i>C. elegans</i> PTEN homolog, DAF-18, acts in the insulin receptor-like metabolic signaling pathway," <i>Molecular Cell</i> 2:887-893 (1998).
gr	Rouault et al., "Regulation of dauer larva development in <i>Caenorhabditis elegans</i> by daf-18, a homologue of the tumour suppressor PTEN," <i>Current Biol.</i> 9:329-332 (1999).
gr	Scheet et al., "Direct Submission: T07A9.6 protein (DAF-18 protein)," (Accession No. 044405) European Bioinformatics Institute, European Molecular Biology Laboratory (1998).
gr	Stephens et al., "Protein kinase B kinases that mediate phosphatidylinositol 3, 4, 5 – trisphosphate-dependent activation of protein kinase B," <i>Science</i> 279:710-714 (1998).
gr	The <i>C. elegans</i> Sequencing Consortium, "Genome sequence of the nematode <i>C. elegans</i> : A platform for investigating biology," <i>Science</i> 282:2012-2018 (1998).
gr	Waterston, "Direct Submission: <i>Caenorhabditis elegans</i> cosmid TO7A9," (Accession No. AF036706) European Bioinformatics Institute, European Molecular Biology Laboratory (1997).

EXAMINER

DATE CONSIDERED

7/4/03

EXAMINER: Initial citation considered. Draw line through citation if not in conformance and not considered. Include copy of this form with the next communication to applicant.